



GS1 XML-Dokumentation

Nachrichtentyp: Confirmation of Receipt

Version: 1.0

Datum: 07.05.2010

Copyright Deutsche Bundesbank

Inhalt

1. Struktur der Nachricht.....	3
2. Beispielnachrichten.....	9
Anwendungsfall:	9

1. Struktur der Nachricht

		deliver:receivingAdvice	
			Element
			Type: deliver:ReceivingAdviceType
			Business T.: Confirmation of receipt
M	required	creationDateTime	Type: xsd:dateTime
			Business T.: Creation date
			Example: <creationDateTime>2007-10-26T21:32:52</creationDateTime>
M	required	documentStatus	Type: eanucc:DocumentStatusListType
			Remark: Cancellation: If the document which was sent before should be cancelled then the same document with the original document number must be sent again and be marked with the code "REPLACE".
			Copy: If a copy of the document should be sent to the payer then the document must be marked with the code "COPY".
			Code/Description
			COPY
			ORIGINAL
			REPLACE
M	1..1	xsd:sequence	ContentModel
O	0..1	contentVersion	Element
			Type: eanucc:VersionType
M	1..1	xsd:sequence	ContentModel
M	1..1	versionIdentification	Element
			Type: xsd:string
M	1..1	xsd:sequence	ContentModel
M	1..1	reportingCode	Element
			Type: deliver:ReportingCodeListType
			Remark: Fixed value: "Confirmation"
			Code/Description
			CONFIRMATION
M	1..1	receivingAdviceIdentification	Element
			Type: eanucc:EntityIdentificationType
M	1..1	xsd:sequence	ContentModel

M	1..1	uniqueCreatorIdentification	Element Type: restriction (xsd:string) Length: 1 .. 80 Business T. Document number
M	1..1	contentOwner	Element Type: eanucc:PartyIdentificationType
M	1..1	xsd:sequence	ContentModel
M	1..1	gln	Element Type: eanucc:GlobalLocationNumberType Pattern: \d{13} Business T. Message sender
M	1..1	shipTo	Element Type: eanucc:PartyIdentificationType
M	1..1	xsd:sequence	ContentModel
M	1..1	gln	Element Type: eanucc:GlobalLocationNumberType Pattern: \d{13} Business T. Branch of Nationalbank/Cashcenter
M	1..1	shipper	Element Type: eanucc:PartyIdentificationType
M	1..1	xsd:sequence	ContentModel
M	1..1	gln	Element Type: eanucc:GlobalLocationNumberType Pattern: \d{13} Business T. Carrier
M	1..1	receiver	Element Type: eanucc:PartyIdentificationType
M	1..1	xsd:sequence	ContentModel
M	1..1	gln	Element Type: eanucc:GlobalLocationNumberType Pattern: \d{13} Business T. Message receiver
M	1..1	xsd:choice	ContentModel
O	0..unbounded	receivingAdviceLogisticUnitLineItem	Element Type: deliver:ReceivingAdviceLogisticUnitLineItemTy
M	1..1	xsd:sequence	ContentModel

M	1..1	logisticUnitIdentification	Element Type: eanucc:LogisticUnitIdentificationType
M	1..1	xsd:sequence	ContentModel
M	1..1	serialShipmentContainerCode	Element Type: eanucc:SSCCType
M	1..1	xsd:sequence	ContentModel
M	1..1	serialShippingContainerCode	Element Type: restriction (xsd:string) Pattern: \d{18} Business T. 1. Loop: Number of despatch unit (SSCC) Master Next loops: Number of despatch unit (SSCC)
O	0..1	quantityOfChildren	Element Type: xsd:integer FractionDigits: 0 TotalDigits: Business T. 1. Loop: Number of visible packages
O	0..1	packageType	Element Type: deliver:PackageTypeDescriptionCodeType
M	1..1	xsd:sequence	ContentModel
M	1..1	packageTypeDescriptionCodeValue	Element Type: restriction (xsd:string) Length: 1 .. 3 Business T. Next loops: Packaging details (Values: NE=Open; BG=Safebag; BX=P-Box; PB=P-Container; 201=Palett1/1; CG=Skeleton trolley; ID=M-Box)
O	0..1	levelId	Element Type: deliver:LevelIdentificationType
M	1..1	xsd:sequence	ContentModel
M	1..1	levelIdentification	Element Type: xsd:integer FractionDigits: 0 TotalDigits: Business T. Next loops: Sequence of the packages (despatch units / articles) Remark: First Loop: Fixed value "1"
O	0..1	parentLevelId	Element Type: deliver:LevelIdentificationType
M	1..1	xsd:sequence	ContentModel
M	1..1	levelIdentification	Element

			Type: xsd:integer FractionDigits: 0 Business T. Next loops: Referenced hierarchy level Remark: First Loop: Fixed value "0"	TotalDigits:
M	1..1	xsd:sequence	ContentModel	
O	0..unbounded	receivingAdviceItemContainmentLineItem	Element	
M	required	number	Type: deliver:ReceivingAdviceItemContainmentLineItem Type: restriction (xsd:nonNegativeInteger) FractionDigits: 0 Inclusive: 0 .. Business T. Master SSCC: Line item number	TotalDigits: 6
M	1..1	xsd:sequence	ContentModel	
M	1..1	containedItemIdentification	Element	
M	1..1	xsd:sequence	Type: eanucc:TradeItemIdentificationType ContentModel	
M	1..1	gtin	Element	
			Type: eanucc:GlobalTradeItemNumberType Pattern: \d{14}	
O	0..1	customer	Business T. Master SSCC: GTIN Article identification, service of forwarding Element	
M	required	number	Type: eanucc:DetailLevelReferenceType Type: restriction (xsd:nonNegativeInteger) FractionDigits: 0 Inclusive: 0 .. Remark: Master SSCC: Fixed value: "1"	TotalDigits: 6
M	1..1	xsd:sequence	ContentModel	
M	1..1	reference	Element	
			Type: eanucc:ReferenceType ContentModel	
M	1..1	xsd:sequence	ContentModel	
M	1..1	referenceDateTime	Element	
			Type: xsd:dateTime Business T. Master SSCC: Receipt date Example: <referenceDateTime>2007-10-26T21:32:52</referenceDateTime>	
M	1..1	referenceIdentification	Element	
			Type: restriction (xsd:string)	

			Length: 1 .. 80
O	0..unbounded	listForEachItem	Business T. Master SSCC: Payer (GLN) Element Type: deliver:SpecifItemDataType
M	1..1	xsd:sequence	ContentModel
M	1..1	serialNumber	Element Type: xsd:string Business T. Master SSCC: IBAN number
O	0..1	extendedAttributes	Element Type: eanucc:TransactionalItemDataType
M	1..1	xsd:sequence	ContentModel
O	0..1	batchNumber	Element Type: xsd:string Business T. Master SSCC: Payer BMS number
O	0..1	lotNumber	Element Type: xsd:string Business T. Master SSCC: Original reference number of deposit (SSCC)
M	1..1	xsd:sequence	ContentModel
M	1..1	quantityAccepted	Element Type: eanucc:QuantityType
M	1..1	xsd:sequence	ContentModel
M	1..1	value	Element Type: xsd:float Business T. Deposited quantity
M	1..1	quantityReceived	Element Type: eanucc:QuantityType
M	1..1	xsd:sequence	ContentModel
M	1..1	value	Element Type: xsd:float Business T. Deposited quantity
M	1..1	receiptInformation	Element Type: deliver:ReceiptInformationType

M	1..1	xsd:sequence	ContentModel
M	1..1	receivingDateTime	Element Type: xsd:dateTime Business T. Receipt date Example: <receivingDateTime>2007-10-26T21:32:52</receivingDateTime>
O	0..1	despatchAdvice	Element Type: eanucc:DocumentReferenceType
M	1..1	xsd:sequence	ContentModel
M	1..1	uniqueCreatorIdentification	Element Type: restriction (xsd:string) Length: 1 .. 80 Business T. Ref. number despatch advice
M	1..1	contentOwner	Element Type: eanucc:PartyIdentificationType
M	1..1	xsd:sequence	ContentModel
M	1..1	gln	Element Type: eanucc:GlobalLocationNumberType Pattern: \d{13} Business T. Message receiver

2. Beispielnachrichten

Anwendungsfall:

Die "Bundesbank" meldet dem Sender des Einzahlungsavises die Übernahme zu der von ihr vergebenen Master NVE/SSCC „328918001000000019“ für eine sichtbare Transporteinheit.

Das Übernahme bezieht sich auf die ebenfalls von der Bundesbank vergebene NVE/SSCC „328913001000000014“.

Der Einzahler hat die GLN „2891100000087“.

Die Nummer des Einzahlungsavises lautet „39707596096759“.

Das Zeitpunkt der Geldentgegennahme lautet: „2010-04-09T13:51:00“.

```

<?xml version="1.0" encoding="UTF-8"?>
<csh:StandardBusinessDocument xmlns:csh="urn:csh:SBDH">
  <csh:StandardBusinessDocumentHeader>
    <csh:HeaderVersion>1.0</csh:HeaderVersion>
    <csh:Sender>
      <csh:Identifier Authority="EAN.UCC">4048888000008</csh:Identifier>
    </csh:Sender>
    <csh:Receiver>
      <csh:Identifier Authority="EAN.UCC">2891800000035</csh:Identifier>
    </csh:Receiver>
    <csh:DocumentIdentification>
      <csh:Standard>EAN.UCC</csh:Standard>
      <csh:TypeVersion>2.1.1</csh:TypeVersion>
      <csh:InstanceIdentifier>000010485/0003</csh:InstanceIdentifier>
      <csh:Type>ReceivingAdvice</csh:Type>
      <csh:CreationDateAndTime>2010-04-16T12:19:39.00</csh:CreationDateAndTime>
    </csh:DocumentIdentification>
  </csh:StandardBusinessDocumentHeader>
  <deliver:receivingAdvice xmlns:deliver="urn:ean.ucc:deliver:2" creationDateTime="2010-04-09T13:51:00"
documentStatus="ORIGINAL">
    <contentVersion>
      <versionIdentification>2.1.1</versionIdentification>
    </contentVersion>
    <reportingCode>CONFIRMATION</reportingCode>
    <receivingAdviceIdentification>
      <uniqueCreatorIdentification>00000000000010485/0003</uniqueCreatorIdentification>
      <contentOwner>
        <gln>4048888000008</gln>
      </contentOwner>
    </receivingAdviceIdentification>
    <shipTo>
      <gln>4048888200002</gln>
    </shipTo>
    <shipper>
      <gln>2891300000047</gln>
    </shipper>
    <receiver>
      <gln>2891100000087</gln>
    </receiver>
    <receivingAdviceLogisticUnitLineItem>
      <logisticUnitIdentification>
        <serialShipmentContainerCode>
          <serialShippingContainerCode>32891800100000019</serialShippingContainerCode>
        </serialShipmentContainerCode>
      </logisticUnitIdentification>
      <quantityOfChildren>1</quantityOfChildren>
      <levelId>
        <levelIdentification>1</levelIdentification>
      </levelId>
      <parentLevelId>
        <levelIdentification>0</levelIdentification>
      </parentLevelId>
      <receivingAdviceItemContainmentLineItem number="1">
        <containedItemIdentification>
          <gtin>04048888012742</gtin>
        </containedItemIdentification>
        <customer number="1">
          <reference>
            <referenceDateTime>2010-04-09T13:51:00</referenceDateTime>
            <referenceIdentification>2891100000087</referenceIdentification>
          </reference>
        </customer>
        <listForEachItem>
          <serialNumber>DE4620000000020009777</serialNumber>
        </listForEachItem>
        <extendedAttributes>
          <batchNumber>9110000008</batchNumber>
        </extendedAttributes>
        <quantityAccepted>
          <value>50000.00</value>
        </quantityAccepted>
        <quantityReceived>
          <value>50000.00</value>
        </quantityReceived>
      </receivingAdviceItemContainmentLineItem>
    </receivingAdviceLogisticUnitLineItem>
  </deliver:receivingAdvice>
</csh:StandardBusinessDocument>

```

```

        </quantityReceived>
      </receivingAdviceItemContainmentLineItem>
    </receivingAdviceLogisticUnitLineItem>
  </receivingAdviceLogisticUnitLineItem>
  <logisticUnitIdentification>
    <serialShipmentContainerCode>
      <serialShippingContainerCode>32891300100000014</serialShippingContainerCode>
    </serialShipmentContainerCode>
  </logisticUnitIdentification>
  <quantityOfChildren>1</quantityOfChildren>
  <packageType>
    <packageTypeDescriptionCodeValue>BX</packageTypeDescriptionCodeValue>
  </packageType>
  <levelId>
    <levelIdentification>2</levelIdentification>
  </levelId>
  <parentLevelId>
    <levelIdentification>1</levelIdentification>
  </parentLevelId>
</receivingAdviceLogisticUnitLineItem>
<receiptInformation>
  <receivingDateTime>2010-04-09T13:51:00</receivingDateTime>
</receiptInformation>
<despatchAdvice>
  <uniqueCreatorIdentification>39707596096759</uniqueCreatorIdentification>
  <contentOwner>
    <gln>2891100000087</gln>
  </contentOwner>
</despatchAdvice>
</deliver:receivingAdvice>
</csh:StandardBusinessDocument>

```